



Container Specifications



	Standard 20'		Standard 40'		High Cube 40'	
Inside Length	19'4"	5.89m	39'5"	12.01 m	39'5"	12.01 m
Inside Width	7'8"	2.33m	7'8"	2.33 m	7'8"	2.33 m
Inside Height	7'10"	2.38m	7'10"	2.38 m	8'10"	2.69 m
Door Width	7'8"	2.33m	7'8"	2.33 m	7'8"	2.33 m
Door Height	7'6"	2.28m	7'6"	2.28 m	8'5"	2.56 m
Capacity	1,172 ft ³	33.18 m ³	2,390 ft ³	67.67 m ³	2,694 ft ³	76.28 m ³
Tare Weight	4,916 lb	2,229 kg	8,160 lb	3,701 kg	8,750 lb	3,968 kg
Max Cargo	47,999 lb	21,727 kg	59,040 lb	26,780 kg	58,450 lb	26,512 kg



	Open Top 20'		Open Top 40'	
Inside Length	19'4"	5.89 m	39'5"	12.01 m
Inside Width	7'7"	2.31 m	7'8"	2.33 m
Inside Height	7'8"	2.33 m	7'8"	2.33 m
Door Width	7'6"	2.28 m	7'8"	2.33 m
Door Height	7'2"	2.18 m	7'5"	2.26 m
Capacity	1,136 ft ³	32.16 m ³	2,350 ft ³	66.54 m ³
Tare Weight	5,280 lb	2,394 kg	8,490 lb	3,850 kg
Max Cargo	47,620 lb	21,600 kg	58,710 lb	26,630 kg



	Reefer 20'		Reefer 40'	
Inside Length	17'8"	5.38 m	37'8"	11.48 m
Inside Width	7'5"	2.26 m	7'5"	2.26 m
Inside Height	7'5"	2.26 m	7'2"	2.18 m
Door Width	7'5"	2.26 m	7'5"	2.26 m
Door Height	7'3"	2.20 m	7'0"	2.13 m
Capacity	1,000 ft ³	28.31 m ³	2,040 ft ³	57.76 m ³
Tare Weight	7,040 lb	3,193 kg	10,780 lb	4,889 kg
Max Cargo	45,760 lb	20,756 kg	56,276 lb	25,526 kg



	Flat Rack 20'		Flat Rack 40'	
Inside Length	18'5"	5.61 m	39'7"	12.06 m
Inside Width	7'3"	2.20 m	6'10"	2.08 m
Inside Height	7'4"	2.23 m	6'5"	1.95 m
Tare Weight	5,578 lb	2,530 kg	12,081 lb	5,479 kg
Max Cargo	47,333 lb	21,469 kg	85,800 lb	38,918 kg



	Flat Rack Collapsible 20'		Flat Rack Collapsible 40'	
Inside Length	18'6"	5.63 m	39'7"	12.06 m
Inside Width	7'3"	2.20 m	6'10"	2.08 m
Inside Height	7'4"	2.23 m	6'5"	1.95 m
Tare Weight	6,061 lb	2,749 kg	12,787 lb	5,800 kg
Max Cargo	61,117 lb	27,722 kg	85,800 lb	38,918 kg



	Platform 20'		Platform 40'	
Inside Length	19'11"	6.07 m	40'0"	12.19 m
Inside Width	8'0"	2.43 m	8'0"	2.43 m
Inside Height	7'4"	2.23 m	6'5"	1.95 m
Tare Weight	6,061 lb	2,749 kg	12,783 lb	5,798 kg
Max Cargo	52,896 lb	23,993 kg	66,397 lb	30,117 kg